

Web Images Maps News Shopping Gmail more ▾

Sign in



unsupported functionalities on behalf for a device

Search

Advanced Search
Preferences

Web Groups

Results 1 - 10 of about 44,900 for unsupported functionalities on behalf for a device. (0.28 seconds)

RE: [Xen-users] windows 2003 on xen-3.0.3 fails on disk format ...

Apr 17, 2007 ... (XEN) (GUEST: 2) unsupported PCI BIOS function 0x0E > > (XEN) (GUEST: 2) int13_harddisk: function 15, unmapped device > > for ELDL=81 ...
lists.xensource.com/archives/html/xen-users/2007-04/msg00465.html - 39k -
Cached - Similar pages

RE: isw: unsupported map state 0x3 on /dev/sda for RAID_Volume0

Jun 18, 2008 ... RE: isw: unsupported map state 0x3 on /dev/sda for RAID_Volume0 ...
modifying the device names or the function that parses the device names. ...
https://www.redhat.com/archives/ataraid-list/2008-June/msg00006.html - 5k -
Cached - Similar pages

Dynamically reconfigurable multi-function PCI adapter device ...

A PCI compliant device having an internal function and a secondary PCI port for a second
PCI ... BIST unsupported by GLINT Delta over the PCI interface. ...
www.freepatentsonline.com/5960213.html - Similar pages
by ME Wilson - 1999 - Cited by 8 - Related articles - All 3 versions

IO Architecture and Device Drivers - 技术文档 - 系统管理 Linux时代 ...

Oct 14, 2008 ... issued on a device file will activate a device driver's function rather ...
driver is being registered, the kernel looks for unsupported ...
linux.chinaunix.net/techdoc/system/2008/10/14/1038155.shtml - 36k -
Cached - Similar pages

The PCI Express Advanced Error Reporting Driver Guide HOWTO T...

3.3 helper functions 3.3.1 int pci_enable_pcie_error_reporting(struct pci_dev *dev);
pci_enable_pcie_error_reporting enables the device to send error ...
ftp.gnu.org/ftp/gnu/linux-libre-fsf2_2.6.28/linux-2.6.28/Documentation/PCI/pcieaer-howto.txt -
11k - Cached - Similar pages

The PCI Express Advanced Error Reporting Driver Guide HOWTO T...

3.3 helper functions 3.3.1 int pci_find_aer_capability(struct pci_dev *dev);
pci_find_aer_capability locates the PCI Express AER capability in the device ...
ww2.cs.fsu.edu/~rosenthal/linux/2.6.26.5/docs/PCI/pcieaer-howto.txt - 11k -
Cached - Similar pages

Welcome to Live Mesh!

Each Mesh Device obtains a unique thumbprint from Windows Live ID that's used for
device Examples of unsupported functionality for open types: ...
blogs.msdn.com/romanbat/ - 67k - Cached - Similar pages

RE: isw: unsupported map state 0x3 on /dev/sda for: msg#000006 ...

Jun 16, 2008 ... RE: isw: unsupported map - Find Help in our linux.ataraid Forum. ...
function that parses the device names. Either way please take a look at ...
osdir.com/m/linux.ataraid/2008-06/msg00006.html - 22k - Cached - Similar pages

[PDF] **DSP/BIOS Device Driver Developer's Guide**

File Format: PDF/Adobe Acrobat - View as HTML

operate on a particular device on behalf of the application software. value provided is

unsupported, this function should return a status of ...
focus.ti.com/it/ug/spru616/spru616.pdf - Similar pages

Rogers Telling Me Forwarding Email To BB Account Is Unsupported ...
Nov 10, 2008 ... BlackBerry Device Help and Discussion Forums In Gmail's case it says
"blah@ gmail.com on behalf of personal@email.com" Not exactly ideal ...
forums.crackberry.com/t/73/rogers-telling-me-forwarding-email-bb-account-unsupported-
92594/ - 201k - Cached - Similar pages

Google Groups results for unsupported functionalities on behalf for a device



link TCP/IP network to NetWare network. - tj lan - Dec 2, 1992
US GSA COTS Y2K Compatibility List - gov.topic.info.systems.year2000 ... - Oct 31, 1997
Netware testing (probably long & rambling) - comp.software.year.2000 - Oct 31, 1997

1 2 3 4 5 6 7 8 9 10 Next

unsupported functionalities on behalf for a device

Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve |
Try Google Experimental

Google Home - Advertising Programs - Business Solutions - Privacy - About Google